

EAST Search History

INTERFERENCE SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	8	L7 AND L8 AND L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:38
L9	204028	("table" OR "buffer").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:38
L8	197403	("processor" OR "CPU").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:37
L7	217	L1 AND L5 AND L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:36
L6	122589	("secure" OR "protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:34
L5	2105	("non-secure" OR "non secure" OR "unprotected" OR "non-protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:34
S90	4006	("non-secure" OR "non secure" OR "non protected" OR "non-protected") SAME ("secure" OR "protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:33
L4	422	("non-secure" OR "non secure" OR "non protected" OR "non-protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:33
L3	224	("base address register").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:32
L2	1558	"base address register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:32

EAST Search History

L1	1333376	"BAR" or "base address register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:32
S14 1	22	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR5 "base address")AND (("secure" OR "protected") NEAR5 "base address"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:42
S14 0	21	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR3 "base address")AND (("secure" OR "protected") NEAR3 "base address"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:42
S12 5	10705	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR3 "table" OR "buffer"OR "TLB" OR "DLAT" OR "ATB")AND (("secure" OR "protected") NEAR3 "table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:23
S13 9	2	S137 SAME S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:12
S13 8	6611	(base OR origin OR start) NEAR register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11
S13 7	382	(S131 OR S134 OR S135) NEAR2 S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:10
S13 6	51163	S131 OR S133 OR S134 OR S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:08
S13 5	25882	address ADJ ("table" OR "buffer")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 4	10685	"TLB" OR "DLAT" OR "ATB"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56

EAST Search History

S13 3	259	S131 NEAR3 S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 2	5410014	secur\$3 OR protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 1	18300	(translat\$3 OR page OR segment) ADJ (table OR buffer OR directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 0	115	S122 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:45
S12 9	33	S128 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:45
S12 8	64	S126 AND S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:45
S12 7	6212	(("secure" OR "protected") NEAR3 ("table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:44
S12 6	144	(("non-secure" OR "non secure" OR "non protected" OR "non-protected" OR "unprotected") NEAR3 ("table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:44
S12 4	10714	(("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR6 "table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB") AND (("secure" OR "protected") NEAR6 "table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:43
S94	4006	("non-secure" OR "non secure" OR "non protected" OR "non-protected") WITH ("secure" OR "protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:39

EAST Search History

S12 3	6611	(base OR origin OR start) NEAR register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:29
S12 2	126	((S120 OR S121) NEAR3 "L2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:27
S12 1	25880	address ADJ ("table" OR "buffer")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:25
S12 0	10685	"TLB" OR "DLAT" OR "ATB"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:24
S11 9	259	S117 NEAR3 S118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:22
S11 8	5409614	secur\$3 OR protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:18
S11 7	18300	(translat\$3 OR page OR segment) ADJ (table OR buffer OR directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:17
S11 6	32	((("protected" OR "secure") NEAR6 "register") AND ((("non-secure" OR "non secure" OR "unsecure" OR "unprotected") NEAR6 "register"))) SAME ("processor" OR "CPU")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:15
S11 3	63	((("protected" OR "secure") NEAR6 "register") AND ((("non-secure" OR "non secure" OR "unsecure" OR "unprotected") NEAR6 "register"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 09:58
S11 5	2	("20020007456").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 08:54

EAST Search History

S11 4	25	S113 AND "translation table"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 19:21
S11 2	22	((("protected" OR "secure") NEAR4 "translation table") AND ((("non-secure" OR "non secure" OR "unsecure" OR "unprotected") NEAR4 "translation table"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 19:20
S11 1	7	"secure" NEAR3 "translation table"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 18:47
S10 6	493	S105 AND ("non-secure" AND "secure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 18:42
S11 0	7	S109 AND S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:44
S10 9	159	S108 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:43
S10 8	777	S105 AND S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:43
S10 7	5433	("non-secure" OR "non secure" OR "unsecure" OR "non protected" OR "non-protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:43
S89	1454	("non-secure domain" OR "non secure domain" OR "non protected" OR "non-protected") SAME ("secure domain" OR "protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:41
S10 5	40342	("protected" OR "secure") WITH ("flag" OR "indicator" OR "bit" OR "signal")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:40

EAST Search History

S10 3	971	("domain signal" OR "flag" OR "identifier")WITH "access request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:39
S10 4	24	S103 AND ("secure" AND ("non-secure" OR "non secure"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:01
S10 2	22	("domain signal" OR "domain flag" OR "domain identifier")WITH "access request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:00
S98	21	"domain signal" WITH "access request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:52
S10 1	4	S99 AND S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:46
S10 0	29636	(711/1-221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:46
S99	20	S98 AND ("secure" AND "non-secure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:46
S1	3364	((711/163) or (711/156) or (711/145) or (711/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:44
S97	52	S96 AND "request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:59
S96	74	S95 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:58

EAST Search History

S95	388	S94 SAME ("signal" OR "flag" OR "bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:58
S93	22	S92 AND "domain signal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:56
S92	51	("non-secure domain" OR "non secure domain" OR "non protected domain" OR "non-protected domain") SAME ("secure domain" OR "protected domain")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:56
S91	768	S90 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:54
S84	47	("non-secure domain" OR "non secure domain") AND "secure domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:52
S88	4	S86 AND S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:25
S87	29523	(711/1-221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:24
S86	20	S85 AND "modes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:24
S85	22	S84 AND "domain signal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:24
S82	1	("20030101322").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:22
S83	20	"access request" WITH "signal" WITH ("secure" OR "non-secure" OR "non secure") WITH "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:17

EAST Search History

S80	26	"access request" WITH "signal" WITH ("secure" OR "non-secure" OR "non secure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:17
S81	6	"access request" WITH "signal" WITH ("secure" OR "non-secure" OR "non secure").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 12:23
S79	1384	S77 AND S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 12:19
S78	1674311	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:29
S77	2649	S74 AND S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:29
S76	26	S73 AND S74 AND S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S75	1330876	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S74	2666	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S73	3386	S72 AND ("processor" OR "processing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S72	3619	((711/163) or (711/156) or (711/145) or (711/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28

EAST Search History

S71	33	S70 AND "translation"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S70	34	S69 AND "partition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S69	154	S68 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S68	262	S67 AND "cache"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S67	630	S65 AND S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S66	182355	"operating system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S65	1384	S63 AND S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S64	1674311	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S63	2649	S61 AND S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S62	1330876	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24

EAST Search History

S61	2666	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S60	878169	"flag" OR "bit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:23